

To: Wagner, Christine[Wagner.Christine@epa.gov]
From: [Nonresponsive based on revised scope]@tetrattech.com]
Sent: Thur 3/25/2021 11:05:48 AM (UTC)
Subject: RE: bucket inventory
Bucket Log 2021 03 22.xlsx

Here it is...let me know if you need anything else.

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Thursday, March 25, 2021 6:23 AM
To: [Nonresponsive based on revised scope]@tetrattech.com>
Subject: Fwd: bucket inventory

Hi [redacted]

I spoke with [redacted] yesterday and he gave me info to clean up the Westin info. If you can just send me the new log as described below, I will fill in the blanks pre-Tt

Thank you
Chris

Begin forwarded message:

From: "Wagner, Christine" <Wagner.Christine@epa.gov>
Date: March 22, 2021 at 1:54:08 PM EDT
To: [Nonresponsive based on revised scope]@tetrattech.com>
Subject: Fwd: bucket inventory

[redacted]

I need the following revisions to this bucket log

1. Remove all items already shipped offsite
- 2 include a column with bucket number
- 3 Create a column next to bucket number indicating how many items are in each bucket
- 4 provide total number of items at bottom of table according to isotope. Cs137 will always be 2, Sr90 will always be one unless we find something new
5. continue to use total number of items for weekly updates. Therefore, total number in bucket log will be less than weekly update

Please see me with any questions


Thank you
Chris

Begin forwarded message:

From: [Nonresponsive based on revised scope]@tetrattech.com>
Date: March 19, 2021 at 8:47:59 AM EDT
To: "Wagner, Christine" <Wagner.Christine@epa.gov>, [Nonresponsive based on revised scope]@tetrattech.com>
Subject: bucket inventory


Hi Chris and [redacted]

Here's the updated bucket inventory. The second column can be used to filter what is present/shipped off. I also noted west vs north wall of the conex box.

Call me any time. Mobile is 

Have a great weekend.



 **E, CHP | Chemical Engineer**
415 Oak Street | Kansas City, Missouri 64106 | www.tetrattech.com
Direct: 816.412.1775 | Main: 816.412.1741 | Fax: 816.410.1748

Tetra Tech | Complex World, Clear Solutions™

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information.
Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful.
If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

<Bucket Log_2021_03_17.xlsx>